

RPB663Hu02 100µg

Recombinant Lymphocyte Activation Gene 3 (LAG3)

Organism Species: *Homo sapiens (Human)*

Instruction manual

FOR RESEARCH USE ONLY

NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

12th Edition (Revised in Aug, 2016)

[**PROPERTIES**]

Source: Prokaryotic expression

Host: *E.coli*

Residues: Leu23~Leu450

Tags: N-terminal His Tag

Subcellular Location: Membrane, Secreted

Purity: > 90%

Traits: Freeze-dried powder

Buffer formulation: 20mM Tris, 150mM NaCl, pH8.0, containing 0.01% SKL, 5% Trehalose.

Original Concentration: 200µg/mL

Applications: Positive Control; Immunogen; SDS-PAGE; WB.

(May be suitable for use in other assays to be determined by the end user.)

Predicted isoelectric point: 9.5

Predicted Molecular Mass: 49.7kDa

Accurate Molecular Mass: 52kDa as determined by SDS-PAGE reducing conditions.

[**USAGE**]

Reconstitute in 20mM Tris, 150mM NaCl (pH8.0) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

[**STORAGE AND STABILITY**]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

Stability Test: The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

[**SEQUENCE**]

		LQPGA EVP	VVWAQEGAPA	QLPCSPTIPL
QDLSLLRRAG	VTWQHQPDSG	PPAAAPGHPL	APGPHPAAPS	SWGPRPRRYT
VLSVGPGLR	SGRLPLQPRV	QLDERGRQRG	DFSLWLRPAR	RADAGEYRAA
VHLRDRLSC	RLRLRLGQAS	MTASPPGSLR	ASDWIILNCS	FSRPDRPASV
HWFRNRQQR	VPVRESPPHH	LAESFLFLPQ	VSPMDSGPWG	CILTYRDGFN
VSIMYNLTVL	GLEPPTPLTV	YAGAGSRVGL	PCRLPAGVGT	RSFLTAKWTP
PGGGPDLLVT	GDNGDFTLRL	EDVSAQAQGT	YTCHIHLEQ	QLNATVTLAI
ITVTPKSFSG	PGSLGKLLCE	VTPVSGQERF	VWSSLDTPSQ	RSFSGPWLEA
QEAQLLSQPW	QCQLYQGERL	LGAAVYFTEL	SSPGAQRSGR	APGALPAGHL

[IDENTIFICATION]




Figure . Gene Sequencing (extract)




Figure. SDS-PAGE

[IMPORTANT NOTE]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.