# International Application No.: PCT/JP2012/083612

# **MONOCLONAL ANTIBODY**

For research use only, Not for diagnostic use.

Catalog No. SHI-EXO-M01-50

# Anti CD9 [ Clone : 12A12]

#### **BACKGROUND**

CD9 is a cell surface glycoprotein which belongs to the tetraspanin superfamily. CD9 is known to complex with integrins and other transmembrane 4 superfamily proteins. It is found on the surface of exosomes. It can modulate cell adhesion and migration and also trigger platelet activation and aggregation.

Product type Primary antibody

Immunogen Human CD9 (a.a. 113-195)

Rased in Mouse Myeloma -

Clone number 12A12 Isotype IgG2b

Source Culture supernatant

**Purification** Affinity purified by Protein G

**Buffer** Phosphate buffered saline containing 0.1% NaN<sub>3</sub> as a preservative

Concentration1 mg / mLVolume50 ulLabelUnlabeledSpecificityHuman CD9

Cross reactivity Human. Other species is not tested.

Storage Store below - 40°C

Aliquot to avoid cycles of freeze/thaw.

Application notes Recommended dilutions • Western blotting: 1/500 - 1/2,000 (0.5 - 2ug/mL, non-reductive condition)

**Immunoprecipitation**: 1/200 – 1/1,000 (1- 5ug/mL)

\* Experiment example : Serum Exosome

• **ELISA**: 1/10,000 – 1/200,000 (5 ng/mL - 0.1ug/mL)

Other applications have not been tested.

Optimal dilutions/concentrations should be determined by the end user.

References

#### **ANTIBODY CHARACTERIZATION**




Fig.1 Western blot analysis of CD9 in C32 cell Exosome with anti-CD9 (12A12) antibody





Fig.2 Immunoprecipitation in Human serum exosome



# **ANTIBODY CHARACTERIZATION**




Fig.3 ELISA data of C32 cell exosome with anti-CD9 (12A12-ALP) antibody (5 ng/mL)

# **RELATED PRODUCT:**

Product Name	Application	Quantity	Maker	Cat#
Anti CD9 (12A12) Monoclonal Antibody	WB/IP/ELISA	100 ug	CAC	SHI-EXO-M01
Anti CD63 (8A12) Monoclonal Antibody	WB/IP	100 ug	CAC	SHI-EXO-M02
Anti CD81 (12C4) Monoclonal Antibody	WB / IP	100 ug	CAC	SHI-EXO-M03

For research use only, Not for diagnostic use.



TOYO 2CHOME, KOTO-KU, TOKYO, 135-0016, JAPAN URL: http://www.cosmobio.co.jp e-mail: <a href="mailto:export@cosmobio.co.jp">export@cosmobio.co.jp</a>

[Outside Japan] Phone: +81-3-5632-9617 [国内連絡先] Phone: +81-3-5632-9610

FAX: +81-3-5632-9618 FAX: +81-3-5632-9619