



Abbexa Ltd, Innovation Centre, Cambridge Science Park, Cambridge, CB4 0EY, UK
Telephone: +44 (0) 1223 755950 - Fax: +44 (0) 1223 755951 - E-Mail: info@abbexa.com

Damage Specific DNA Binding Protein 1 (DDB1) Antibody


Catalogue No.: abx002127




Western blot analysis of extracts of various cell lines, using DDB1 Antibody (abx002127) at 1/500 dilution.




Immunohistochemistry of paraffin-embedded human uterine cancer using DDB1 Antibody (abx002127) at dilution of 1/200 (40x lens).



Immunohistochemistry of paraffin-embedded mouse testis using DDB1 Antibody (abx002127) at dilution of 1/200 (40x lens).




Immunohistochemistry of paraffin-embedded human liver injury using DDB1 Antibody (abx002127) at dilution of 1/200 (40x lens).




Immunohistochemistry of paraffin-embedded human kidney cancer using DDB1 Antibody (abx002127) at dilution of 1/200 (40x lens).


Abbexa Ltd, Innovation Centre, Cambridge Science Park, Cambridge, CB4 0EY, UK
Telephone: +44 (0) 1223 755950 - Fax: +44 (0) 1223 755951 - E-Mail: info@abbexa.com




Immunohistochemistry of paraffin-embedded human gastric cancer using DDB1 Antibody (abx002127) at dilution of 1/200 (40x lens).




Immunohistochemistry of paraffin-embedded rat testis using DDB1 Antibody (abx002127) at dilution of 1/100 (40x lens).



Immunohistochemistry of paraffin-embedded rat brain using DDB1 Antibody (abx002127) at dilution of 1/100 (40x lens).




Immunohistochemistry of paraffin-embedded human lung cancer using DDB1 Antibody (abx002127) at dilution of 1/100 (40x lens).




Immunohistochemistry of paraffin-embedded human liver using DDB1 Antibody (abx002127) at dilution of 1/100 (40x lens).


Abbexa Ltd, Innovation Centre, Cambridge Science Park, Cambridge, CB4 0EY, UK
Telephone: +44 (0) 1223 755950 - Fax: +44 (0) 1223 755951 - E-Mail: info@abbexa.com




Immunohistochemistry of paraffin-embedded human brain cancer using DDB1 Antibody (abx002127) at dilution of 1/100 (40x lens).




Immunohistochemistry of paraffin-embedded human kidney using DDB1 Antibody (abx002127) at dilution of 1/100 (40x lens).




Immunohistochemistry of paraffin-embedded human kidney cancer using DDB1 Antibody (abx002127) at dilution of 1/100 (40x lens).




Immunohistochemistry of paraffin-embedded human gastric cancer using DDB1 Antibody (abx002127) at dilution of 1/100 (40x lens).




Immunohistochemistry of paraffin-embedded human uterus using DDB1 Antibody (abx002127) at dilution of 1/100 (40x lens).



Immunohistochemistry of paraffin-embedded human uterine cancer using DDB1 Antibody (abx002127) at dilution of 1/100 (40x lens).



Immunohistochemistry of paraffin-embedded mouse kidney using DDB1 Antibody (abx002127) at dilution of 1/100 (40x lens).



Immunohistochemistry of paraffin-embedded mouse heart using DDB1 Antibody (abx002127) at dilution of 1/100 (40x lens).

DDB1 Antibody is a Rabbit Polyclonal antibody against DDB1. The protein encoded by this gene is the large subunit (p127) of the heterodimeric DNA damage-binding (DDB) complex while another protein (p48) forms the small subunit. This protein complex functions in nucleotide-excision repair and binds to DNA following UV damage. Defective activity of this complex causes the repair defect in patients with xeroderma pigmentosum complementation group E (XPE) - an autosomal recessive disorder characterized by photosensitivity and early onset of carcinomas. However, it remains for mutation analysis to demonstrate whether the defect in XPE patients is in this gene or the gene encoding the small subunit. In addition, Best vitelliform macular dystrophy is mapped to the same region as this gene on 11q, but no sequence alternations of this gene are demonstrated in Best disease patients. The protein encoded by this gene also functions as an adaptor molecule for the cullin 4 (CUL4) ubiquitin E3 ligase complex by facilitating the binding of substrates to this complex and the ubiquitination of proteins.

Target:	DDB1
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Tested Applications:	WB, IHC

Abbexa Ltd, Innovation Centre, Cambridge Science Park, Cambridge, CB4 0EY, UK
Telephone: +44 (0) 1223 755950 - Fax: +44 (0) 1223 755951 - E-Mail: info@abbexa.com

Recommended dilutions: WB: 1/500 - 1/1000, IHC: 1/50 - 1/100. Optimal dilutions/concentrations should be determined by the end user.

Immunogen: A synthetic peptide of human DDB1.

Purification: Affinity purified.

Form: Liquid

Isotype: IgG

Conjugation: Unconjugated

Storage: Aliquot and store at -20 °C. Avoid repeated freeze/thaw cycles.

Molecular Weight: Calculated MW: 50 kDa/126 kDa
Observed MW: 127 kDa

Swiss Prot: [Q16531](#)

GeneID: [1642](#)

Gene Symbol: DDB1

Concentration: > 1 mg/ml

Buffer: PBS, pH 7.3, 0.02% sodium azide, 50% glycerol.

Note: This product is for research use only.