🕜 Tel: +1-301-363-4651 🛛 Email: cusabio@cusabio.com 🥥 Website: www.cusabio.com 🧉

Recombinant Human Transcription factor SOX-2(SOX2)

Product Code	CSB-EP1653HU
Relevance	Transcription factor that forms a trimeric complex with OCT4 on DNA and controls the expression of a number of genes involved in embryonic development such as YES1, FGF4, UTF1 and ZFP206 (By similarity). Critical for early embryogenesis and for embryonic stem cell pluripotency. May function as a switch in neuronal development. Downstream SRRT target that mediates the promotion of neural stem cell self-renewal (By similarity). Keeps neural cells undifferentiated by counteracting the activity of proneural proteins and suppresses neuronal differentiation (By similarity).
Storage	The shelf life is related to many factors, storage state, buffer ingredients, storage temperature and the stability of the protein itself. Generally, the shelf life of liquid form is 6 months at -20°C/-80°C. The shelf life of lyophilized form is 12 months at -20°C/-80°C.
Uniprot No.	P48431
Storage Buffer	Tris-based buffer,50% glycerol
Product Type	Recombinant Protein
Species	Homo sapiens (Human)
Purity	Greater than 90% as determined by SDS-PAGE.
Sequence	MYNMMETELKPPGPQQTSGGGGGNSTAAAAGGNQKNSPDRVKRPMNAFMV WSRGQRRKMAQENPKMHNSEISKRLGAEWKLLSETEKRPFIDEAKRLRALHM KEHPDYKYRPRRKTKTLMKKDKYTLPGGLLAPGGNSMASGVGVGAGLGAGV NQRMDSYAHMNGWSNGSYSMMQDQLGYPQHPGLNAHGAAQMQPMHRYD VSALQYNSMTSSQTYMNGSPTYSMSYSQQGTPGMALGSMGSVVKSEASSSP PVVTSSSHSRAPCQAGDLRDMISMYLPGAEVPEPAAPSRLHMSQHYQSGPVP GTAINGTLPLSHM
Research Area	Epigenetics and Nuclear Signaling
Source	E.coli
Gene Names	SOX2
Expression Region	1-317aa
Notes	Repeated freezing and thawing is not recommended. Store working aliquots at 4°C for up to one week.
Tag Info	N-terminal 6xHis-SUMO-tagged
Mol. Weight	50.3kDa
Protein Description	Full Length
Image	

Image

1



CUSABIO TECHNOLOGY LLC

🕜 Tel: +1-301-363-4651 🛛 Email: cusabio@cusabio.com 🥥 Website: www.cusabio.com 🧉

kDa	М	
116.0	1	
66.2	-	
45.0	-	
35.0	-	
25.0	-	
18.4	-	
14.4	-	

(Tris-Glycine gel) Discontinuous SDS-PAGE (reduced) with 5% enrichment gel and 15% separation gel.