

🕜 Tel: +1-301-363-4651 🛛 Email: cusabio@cusabio.com 🥃 Website: www.cusabio.com 🍙

## BTN3A1 Antibody, FITC conjugated

Product Code	CSB-PA002873LC01HU
Storage	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.
Uniprot No.	O00481
Immunogen	Recombinant Human Butyrophilin subfamily 3 member A1 protein (30-254AA)
Raised In	Rabbit
Species Reactivity	Human
<b>Tested Applications</b>	ELISA
Relevance	Plays a role in T-cell activation and in the adaptive immune response. Regulates the proliferation of activated T-cells. Regulates the release of cytokines and IFNG by activated T-cells. Mediates the response of T-cells toward infected and
	transformed cells that are characterized by high levels of phosphorylated metabolites, such as isopentenyl pyrophosphate.
Form	
Form Conjugate	metabolites, such as isopentenyl pyrophosphate.
	metabolites, such as isopentenyl pyrophosphate.
Conjugate	metabolites, such as isopentenyl pyrophosphate. Liquid FITC Preservative: 0.03% Proclin 300
Conjugate Storage Buffer	metabolites, such as isopentenyl pyrophosphate. Liquid FITC Preservative: 0.03% Proclin 300 Constituents: 50% Glycerol, 0.01M PBS, PH 7.4
Conjugate Storage Buffer Purification Method	metabolites, such as isopentenyl pyrophosphate. Liquid FITC Preservative: 0.03% Proclin 300 Constituents: 50% Glycerol, 0.01M PBS, PH 7.4 >95%, Protein G purified
Conjugate Storage Buffer Purification Method Isotype	metabolites, such as isopentenyl pyrophosphate. Liquid FITC Preservative: 0.03% Proclin 300 Constituents: 50% Glycerol, 0.01M PBS, PH 7.4 >95%, Protein G purified IgG
Conjugate Storage Buffer Purification Method Isotype Clonality	metabolites, such as isopentenyl pyrophosphate. Liquid FITC Preservative: 0.03% Proclin 300 Constituents: 50% Glycerol, 0.01M PBS, PH 7.4 >95%, Protein G purified IgG Polyclonal
Conjugate Storage Buffer Purification Method Isotype Clonality Alias	<ul> <li>metabolites, such as isopentenyl pyrophosphate.</li> <li>Liquid</li> <li>FITC</li> <li>Preservative: 0.03% Proclin 300</li> <li>Constituents: 50% Glycerol, 0.01M PBS, PH 7.4</li> <li>&gt;95%, Protein G purified</li> <li>IgG</li> <li>Polyclonal</li> <li>Butyrophilin subfamily 3 member A1 (CD antigen CD277), BTN3A1, BTF5</li> </ul>