






CXCR2 Antibody


Product Code	CSB-PA011673HA01HU
Storage	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.
Uniprot No.	P25025
Immunogen	Recombinant Human C-X-C chemokine receptor type 2 protein (1-40AA)
Raised In	Rabbit
Species Reactivity	Human
Tested Applications	ELISA, IHC, IF; Recommended dilution: IHC:1:20-1:200, IF:1:50-1:200
Relevance	Receptor for interleukin-8 which is a powerful neutrophil chemotactic factor. Binding of IL-8 to the receptor causes activation of neutrophils. This response is mediated via a G-protein that activates a phosphatidylinositol-calcium second messenger system. Binds to IL-8 with high affinity. Also binds with high affinity to CXCL3, GRO/MGSA and NAP-2.
Form	Liquid
Conjugate	Non-conjugated
Storage Buffer	Preservative: 0.03% Proclin 300 Constituents: 50% Glycerol, 0.01M PBS, PH 7.4
Purification Method	>95%, Protein G purified
Isotype	IgG
Clonality	Polyclonal
Alias	C-X-C chemokine receptor type 2 (CXC-R2) (CXCR-2) (CDw128b) (GRO/MGSA receptor) (High affinity interleukin-8 receptor B) (IL-8R B) (IL-8 receptor type 2) (CD antigen CD182), CXCR2, IL8RB
Species	Human
Research Area	Signal Transduction
Target Names	CXCR2
Image	Immunohistochemistry of paraffin-embedded



Immunohistochemistry of paraffin-embedded human lymph node tissue using CSB-PA011673HA01HU at dilution of 1:100




CUSABIO TECHNOLOGY LLC












Immunohistochemistry of paraffin-embedded human tonsil tissue using CSB-PA011673HA01HU at dilution of 1:100



Immunofluorescent analysis of HepG2 cells using CSB-PA011673HA01HU at dilution of 1:100 and Alexa Fluor 488-congugated AffiniPure Goat Anti-Rabbit IgG(H+L)