

THE™ BrdU Antibody [HRP], mAb, Mouse**Cat. No.:** A01653**Size:** 100 µg**Synonyms:** Bromodeoxyuridine Antibody [HRP], mAb, Mouse; Bromo-deoxyuridine Antibody [HRP], mAb, Mouse**Description:**

Bromodeoxyuridine (5-Bromo-2-Deoxyuridine, BrdU) is an analogue of thymidine that can be incorporated into newly synthesized DNA at the S phase of the cell cycle, thus BrdU is a common reagent used for both cell proliferation assays and for the detection of apoptotic cells. The amount of BrdU incorporated into the DNA is dependent on time exposed to BrdU and the rate of cell division. Detection of incorporated BrdU is useful to determine cell cycle kinetics, assessing cell proliferation in the presence of growth factors or cytotoxic drugs and demonstrating sister chromatid exchange.

GenScript **THE™ BrdU Antibody [HRP], mAb, Mouse** is HRP conjugated THE™ BrdU Antibody, mAb, Mouse (A01650) purified from mice ascites by protein A affinity column. The antibody is produced from the hybridoma resulting from fusion of Sp2/0 myeloma and lymphocytes obtained from mouse immunized with BrdU conjugated to KLH.

Immunogen: BrdU conjugated to KLH**Host:** Mouse**Conjugation:** Horseradish Peroxidase (HRP)**Fusion Partner:**

Spleen cells were fused with SP2/0-Ag14 mouse myeloma cells

Formulation:

0.5 mg/ml, lyophilized with PBS, pH 7.4, containing 1% BSA

and 0.01% thimerosal

Clone: 3E2D3**Ig Subclass:** IgG1, κ**Specificity:** The specificity of the antibody has been tested by competitive ELISA. Binding was inhibited by 5-bromo-2'-deoxyuridine (BrdU), 5-chloro-2'-deoxyuridine (CldU) and 5-iodo-2'-deoxyuridine (IdU). No cross-reactivity was observed with 5-fluoro-2'-deoxyuridine (FdU) and thymidine (T).**Purification:** Protein A affinity column**Applications:**

Working concentrations for specific applications should be determined by the investigator. The appropriate concentrations may be affected by secondary antibody affinity, antigen concentration, the sensitivity of the method of detection, temperature, the length of the incubations, and other factors. The suitability of this antibody for applications other than those listed below has not been determined. The following concentration ranges are recommended starting points for this product.


ELISA: 0.05-0.5 µg/ml**Other applications:** user-optimized**Reconstitution:**

Reconstitute the lyophilized antibody with deionized water (or equivalent) to a final concentration of 0.5 mg/ml.

Storage:

The antibody is stable in lyophilized form if stored at -20°C or below. The reconstituted antibody can be stored for 2-3 weeks at 2-8°C. For long term storage, aliquot and store at -20°C or below. Avoid repeated freezing and thawing cycles.

Example



Comparison of THE™ BrdU Antibody [HRP], mAb, Mouse (GenScript, A01653) with HRP conjugated Mouse Anti-BrdU mAb (Competitor B) by direct ELISA.