## Cynomolgus CD30/TNFRSF8 Protein

Cat. No. CD3-CM130



Description	
Source	Recombinant Cynomolgus CD30/TNFRSF8 Protein is expressed from HEK293 with His tag at the C-Terminus.
	It contains Ala27-Pro394.
Accession	A0A2K5VW07
Molecular Weight	The protein has a predicted MW of 39.86 kDa. Due to glycosylation, the protein migrates to 75-105 kDa based on Tris-Bis PAGE result.
Endotoxin	Less than 1EU per μg by the LAL method.
Purity	> 95% as determined by Tris-Bis PAGE
	> 95% as determined by HPLC

#### Formulation and Storage


Formulation and Storage		
Formulation	Lyophilized from 0.22µm filtered solution in PBS (pH 7.4). Normally 8% trehalose is added as protectant before lyophilization.	
Reconstitution	Centrifuge the tube before opening. Reconstituting to a concentration more than 100 µg/ml is recommended. Dissolve the lyophilized protein in distilled water.	
Storage	-20 to -80°C for 12 months as supplied from date of receipt20 to -80°C for 3-6 months in unopened state after reconstitution.2-8°C for 2-7 days after reconstitution.Recommend to aliquot the protein into smaller quantities for optimal storage. Please minimize freeze-thaw cycles.	

# **Background**

The transmembrane receptor CD30 (TNFRSF8) and its ligand CD30L (CD153, TNFSF8) are members of the tumor necrosis factor (TNF) superfamily and display restricted expression in subpopulations of activated T-and B-cells in nonpathologic conditions. CD30 expression is upregulated in various hematological malignancies, including Reed-Sternberg cells in Hodgkin's disease (HD), anaplastic large cell lymphoma (ALCL) and subsets of Non-Hodgkin's lymphomas (NHLs).

## **Assay Data**

#### Tris-Bis PAGE




Cynomolgus CD30 on Tris-Bis PAGE under reduced condition. The purity is greater than 95%.

**SEC-HPLC** 

# KAGTUS


### **Assay Data**



The purity of Cynomolgus CD30 is greater than 95% as determined by SEC-HPLC.

#### **ELISA Data**

# **Cynomolgus CD30, His Tag ELISA** 0.05μg Cynomolgus CD30, His Tag Per Well



Immobilized Cynomolgus CD30, His Tag at 0.5µg/ml (100µl/Well) on the plate. Dose response curve for Anti-CD30 Antibody, hFc Tag with the EC50 of 10.5ng/ml determined by ELISA.