
Cynomolgus CD3E/CD3 epsilon 1-27 peptide Protein





Description	
Source	Recombinant Cynomolgus CD3E/CD3 epsilon 1-27 peptide Protein is expressed from HEK293 with hFc tag and Avi tag at the C-Terminus.
	It contains Asp22-Thr48.
Accession	Q95LI5.2
Molecular Weight	The protein has a predicted MW of 31.3 kDa. Due to glycosylation, the protein migrates to 40-50 kDa based on Tris-Bis PAGE result.
Endotoxin	Less than 1EU per μg by the LAL method.
Purity	> 95% as determined by Tris-Bis PAGE
	> 95% as determined by HPLC
Formulation and Storage	


Formulation	Lyophilized from 0.22µm filtered solution in PBS (pH 7.4). Normally 8% trehalose is added as protectant before lyophilization.
Reconstitution	Centrifuge the tube before opening. Reconstituting to a concentration more than 100 µg/ml is recommended. Dissolve the lyophilized protein in distilled water.
Storage	-20 to -80°C for 12 months as supplied from date of receipt20 to -80°C for 3-6 months in unopened state after reconstitution.2-8°C for 2-7 days after reconstitution.Recommend to aliquot the protein into smaller quantities for optimal storage. Please minimize freeze-thaw cycles.

Background

CD3E, is a single-pass type I membrane protein.CD3 (cluster of differentiation 3) T cell co-receptor helps to activate both the cytotoxic T cell (CD8 naive T cells) and also T helper cells (CD4 naive T cells). It consists of a protein complex and is composed of four distinct chains. In mammals, the complex contains a CD3 γ chain, a CD3 δ chain, and two CD3 ϵ chains.

Assay Data

Tris-Bis PAGE




Cynomolgus CD3E 1-27 peptide on Tris-Bis PAGE under reduced condition. The purity is greater than 95%.

SEC-HPLC




Assay Data



The purity of Cynomolgus CD3E 1-27 peptide is greater than 95% as determined by SEC-HPLC.

ELISA Data

Cynomolgus CD3E 1-27 peptide, hFc Tag ELISA 0.2µg Cynomolgus CD3E 1-27 peptide, hFc Tag Per Well



Immobilized Cynomolgus CD3E 1-27 peptide, His Tag at $2\mu g/ml$ (100 $\mu l/Well$) on the plate. Dose response curve for Biotinylated Anti-CD3 Antibody, hFc Tag with the EC50 of 37.2ng/ml determined by ELISA.