## CD86 / B7-2 Antibody (APC), Mouse MAb






GENERAL INFORMATION	
Immunogen:	Recombinant Human CD86 / B7-2 protein (Catalog#10699-H08H)
Reagents:	APC-conjugated Mouse monoclonal antibody
Preparation	This antibody was produced from a hybridoma resulting from the fusion of a mouse myeloma with B cells obtained from a mouse immunized with purified, recombinant Human CD86 / B7-2 (rh CD86 / B7-2; Catalog#10699-H08H; NP_008820.2; Met 1-His 239) and conjugated with APC under optimum conditions, the unreacted APC was removed.
lg Type:	Mouse IgG1
Clone ID:	06
Specificity:	Human CD86 / B7-2
Concentration:	5 μl/Test, 0.1 mg/ml
Formulation:	Aqueous solution containing 0.5% BSA and 0.09% sodium azide
Storage:	This antibody can be stored at $2^{\circ}$ C-8°C for twelve months without detectable loss of activity. Protected from prolonged exposure to light. Do not freeze! Sodium azide is toxic to cells and should be disposed of properly. Flush with large volumes of water during disposal.
Alternative Names:	B7-2,B7.2,B70,CD28LG2,LAB72
APPLICATIONS	
Applications:	FCM

Please Note: Optimal concentrations/dilutions should be determined by the end user.

## CD86 / B7-2 Antibody (APC), Mouse MAb

Catalog Number: 10699-MM06-A





Profile of anti-B7-2 (CD86) reactivity on Daudi cells analyzed by flow cytometry. Cells should be Fc-blocked by treatment with 20  $\mu$ g of human IgG/106 cells for 1 hour at 4  $^{\circ}$ C prior to staining, washed, then stained with APC Mouse anti-B7-2 (CD86).

Flow cytometry was performed on a BD FACSCalibur flow cytometry system. Please refer to www.sinobiological.com/Flow-Cytometry-FACS-Protocols-a-750.html for technical protocols.