

CD30 / TNFRSF8 Antibody, Rabbit PAb, Antigen Affinity Purified



Sino Biological
Biological Solution Specialist

Catalog Number: 10777-RP02

| GENERAL INFORMATION | |
|---------------------------|---|
| Immunogen: | Recombinant Human CD30 / TNFRSF8 protein (Catalog#10777-H08H) |
| Preparation | Produced in rabbits immunized with purified, recombinant Human CD30 / TNFRSF8 (rh CD30 / TNFRSF8; Catalog#10777-H08H; NP_001234.2; Met 1-Lys 379). CD30 / TNFRSF8 specific IgG was purified by Human CD30 / TNFRSF8 affinity chromatography. |
| Ig Type: | Rabbit IgG |
| Specificity: | Human CD30 / TNFRSF8 |
| Formulation: | 0.2 µm filtered solution in PBS |
| Storage: | This antibody can be stored at 2°C-8°C for one month without detectable loss of activity. Antibody products are stable for twelve months from date of receipt when stored at -20°C to -80°C. Preservative-Free. Sodium azide is recommended to avoid contamination (final concentration 0.05%-0.1%). It is toxic to cells and should be disposed of properly. Avoid repeated freeze-thaw cycles. |
| APPLICATIONS | |
| Applications: | WB,ELISA,IHC-P |
| RECOMMENDED CONCENTRATION | |
| IHC-P | IHC-P: 1:2000-1:10000 |
| Western Blot | WB: 1:500-1:1000 |
| ELISA | ELISA: 1:25000-1:50000 This antibody can be used at 1:25000-1:50000 with the appropriate secondary reagents to detect Human TNFRSF8. |


Please Note: Optimal concentrations/dilutions should be determined by the end user.

CD30 / TNFRSF8 Antibody, Rabbit PAb, Antigen Affinity Purified


Catalog Number: 10777-RP02



Sino Biological
Biological Solution Specialist



Immunohistochemical staining of human TNFRSF8 in human Hodgkin lymphoma with rabbit polyclonal antibody at 1:5000 dilution, formalin-fixed paraffin embedded sections.



Anti-TNFRSF8 rabbit polyclonal antibody at 1:500 dilution.

Lane A: A431 Membrane Lysate

Lysates/proteins at 30 ug per lane.

Secondary

Goat Anti-Rabbit IgG H&L (Dylight800) at 1/10000 dilution.

Developed using the Odyssey technique.

Performed under reducing conditions.

Predicted band size: 64 kDa

Observed band size: 60 kDa

(We are unsure as to the identity of these extra bands.)