
CD86 / B7-2 Antibody (PE), Mouse MAb






| GENERAL INFORMATION | |
|---------------------------|--|
| Immunogen: | Recombinant Rat CD86 / B7-2 Protein (Catalog#80025-R08H) |
| Reagents: | PE-conjugated Mouse monoclonal antibody |
| Preparation | This antibody was produced from a hybridoma resulting from the fusion of a mouse myeloma with B cells obtained from a mouse immunized with purified, recombinant Rat CD86 / B7-2 (rR CD86 / B7-2; Catalog#80025-R08H; NP_064466.1; Met1-Ile250) and conjugated with PE under optimum conditions, the unreacted PE was removed. |
| Ig Type: | Mouse IgG2b |
| Clone ID: | 10 |
| Specificity: | Rat CD86 / B7-2 |
| Concentration: | 10 µl/Test, 0.1 mg/ml |
| Formulation: | Aqueous solution containing 0.5% BSA and 0.09% sodium azide |
| Storage: | This antibody is stable for 12 months from date of receipt when stored at $2^{\circ}\text{C}-8^{\circ}\text{C}$. Protected from prolonged exposure to light. Do not freeze! Sodium azide is toxic to cells and should be disposed of properly. Flush with large volumes of water during disposal. |
| APPLICATIONS | |
| Applications: | FCM |
| RECOMMENDED CONCENTRATION | |

Please Note: Optimal concentrations/dilutions should be determined by the end user.

CD86 / B7-2 Antibody (PE), Mouse MAb







Flow cytometric analysis of rat CD86 expression on LPS-stimulated SD rat splenocytes. Cells were stained with PE-conjugated anti-rat CD86. The fluorescence histograms were derived from gated events with the forward and side light-scatter characteristics of intact cells.

Flow cytometry was performed on a BD FACSCalibur flow cytometry system. Please refer to www.sinobiological.com/Flow-Cytometry-FACS-Protocols-a-750.html for technical protocols.